TECHNIGRO WATER SOLUBLE FERTILIZER 15-0-15Plus

Contains 9% Ca, 1% Mg

For Continuous Liquid Feed Programs - For Professional Use Only

GU	ARANTEED ANALYSIS
1.3% Ammoniacal Nitrogen	
Soluble Potash (K ₂ O)	
Calcium (Ca)	
9% Water Soluble Calcium (Ca) Magnesium (Mg) 1.0% Water Soluble Magnesium (Mg)	
Boron (B)	0.015%
Copper (Cu)	0.015%
Iron (Fe)	0.075 %
Manganese (Mn)	
Molvbdenum (Mo)	0.01%
Zinc (Zn)	
0.015% Chelated Zinc	

Derived from: Ammonium Nitrate, Potassium Nitrate, Calcium Nitrate, Magnesium Nitrate, Boric Acid, Copper Ethylenediamintetra-acetate (EDTA), Iron EDTA, Manganese EDTA, Sodium Molybdate, Zinc EDTA.

Potential Basicity: 418 lb. Calcium Carbonate equivalent per ton.

NET WEIGHT: 25 lb / 11.3 kg

DIRECTIONS FOR USE Mixing Concentrated Fertilizer Solutions:

The table below lists how much Technigro fertilizer by weight to blend into a given volume of water to make a concentrated fertilizer solution. Recommended fertilizer concentrations are for a continuous feed program. However, the Technigro formula (NPK) and concentration (ppm) most suitable for individual use should be determined by soil and water analysis as well as plant response. Various target concentration and common injector ratios are included. Technigro dissolves faster in hot water. When mixing a concentrated solution with cold water, stir well and allow ample time for fertilizer to dissolve before using.

USAGE RATES								
	For fertilizers with 15% N analysis							
	Ounces of fertilizer per gallon of water for given injector ratio							
ppm N	No Injector	1:15	1:100	1:128	1:200	1:300		
25	0.02	0.3	2.2	2.8	4.5	6.7		
50	0.04	0.7	4.5	5.7	8.9	13.4		
75	0.07	1.0	6.7	8.5	13.4	20.0		
100	0.09	1.3	8.9	11.4	17.8	26.7		
150	0.13	2.0	13.4	17.1	26.7	40.1		
200	0.18	2.7	17.8	22.8	35.6	53.4		
300	0.27	4.0	26.7	34.2	53.4	80.1		
400	0.36	5.3	35.6	45.6	71.2	106.8		
NOTE: This table does not consider maximum solubility limits.								

A soluble salts or conductivity meter can be used to estimate the concentration of fertilizer solutions. The correct electrical conductivity (EC) in millisiemens per centimeter (m5/cm) is listed below for various ppm nitrogen concentrations. When measuring the conductivity of fertilizer solutions, be sure to subtract the conductivity of the water from the measures value of the fertilizer solution.

/	
ppm N	mS/cm
50	0.37
100	0.75
150	1.13
200	1.5
300	2.25

DANGER

PRECAUTIONARY STATEMENTS:

Keep away from heat. Keep/Store away from clothing/flammable/reducing/combustible materials.

Take any precaution to avoid mixing with flammable/reducing/combustible materials. Wash hands thoroughly after handling.

Do not eat, drink or smoke when using this product.

Wear protective gloves/protective clothing/eye protection/face protection.

In case of fire: Use any suitable mean for extinguishing surrounding fire. Spray water for small fires. For large fires flood with abundant water.

IF SWALLOWED: Rinse mouth. Call a Poison Control Center or doctor/physician if feeling unwell.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and able to do so. Continue rinsing. Immediately call a Poison Control Center or doctor/physician.

Dispose of contents/container according to local/state/federal regulations.

HAZARD STATEMENTS:

May intensify fire; oxidizer. Harmful if swallowed. Causes serious eye damage.



NOTICE: This fertilizer contains molybdenum (Mo). Use of this product on forage crops may result in crops containing levels of molybdenum which are toxic to ruminant animals.

NOTICE: This fertilizer contains boron (B). Do not use on boron sensitive plants.

Various cautionary statements, handling and safety language on this label may or may not be in compliance with GHS, but it is required by various states, regulations and good business practices.